



Cat® CM230

Continuous Miner

Specifications

Operating Dimensions

Mining range (recommended)	1270 - 2540 mm (50 - 100 in)
Minimum height	1118 mm (44 in)
Maximum reach	2845 mm (112 in)
Ground Clearance	229 mm (9 in)
Length rear bumper to face	8153 mm (26 ft 9 in)

Transport Dimensions

Frame width	3277 mm (10 ft 9 in) (over rub rails)
Overall length	11049 mm (36 ft 3 in)
Height	991 mm (39 in) over scrubber duct
Weight (total)	63.5 tonnes (140000 lbs)

Cutting Unit

Cutting drum diameter	1118 mm (44 in)
Cutting drum width	3531 mm (11 ft 7 in)
Cutting power	2 x 201 kW (2 x 270 hp) motors (one hour rating)

Loading Unit

Loading method	6 finger CLA
Conveyor width	914 mm (36 in)
Conveyor depth	152 mm (6 in)
Loading capacity	18 - 23 tonnes/min (20 - 25 tons/min)
Conveyor power	2 x 37 kW (2 x 50 hp) motors (one hour rating)

Traction Unit

Crawler chain width	508 mm (20 in)
Crawler assembly length	2896 mm (9 ft 6 in)
Ground pressure	212 kPa (30.7 psi)
Crawler speed	0 - 26 m/min (0 - 85 fpm)
Traction power	2 x 82 kW (2 x 110 hp) AC / VFD (one-hour rating)

Pump Unit

Pump power	1 x 37 kW (1 x 50 hp) motor (one-hour rating)
------------	--

Continuous Miner - CM230

Optional Dust Suppression

Scrubber assembly	Top Mounted
Scrubber type	Wet bed
Scrubber capacity	2.8 cms (6000 cfm)
Fan power	1 x 22 kW (1 x 30 hp) motor

Electrical System

Machine voltage	950 VAC 60 Hz (International voltages available)
Control system	Processor based/ radio remote control

Total Installed Power	680 kW (910 hp) (one-hour rating w/o scrubber)
------------------------------	---



For more complete information on Cat Products, dealer services, and industry solutions, visit us on the web at mining.cat.com and www.cat.com

©2012 Caterpillar Inc.
All rights reserved

CAT, CATERPILLAR, their respective logos, "Caterpillar Yellow" and the "Power:Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

AEHQ0000





ALL DIMENSIONS ARE IN INCHES UNLESS NOTED OTHERWISE

FOR INFORMATION

THIS DOCUMENT IS THE PROPERTY OF CATERPILLAR INC. SUBJECT MATTER HEREIN IS PRIVATE CONFIDENTIAL, AND RESTRICTED TO THE USE OF THE PERSONS SPECIFICALLY IDENTIFIED IN THE DRAWING. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED, COPIED, DISTRIBUTED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR INC. FOR RESTRICTED USE ONLY. SEE CATERPILLAR PUBLICATION C13000 FOR THE COMPLETE TERMS AND CONDITIONS OF THIS AGREEMENT.

REV	DESCRIPTION	DATE	NAME	S/N
00	NEW RELEASE	6/13/12	JMB	-
01				
02				
03				
04				
05				
06				
07				
08				
09				
10				
11				
12				

MODEL BY	DATE	NAME	MODEL BY	DATE	NAME
BRNAN SW	6/13/12	JMB	BRNAN SW	6/13/12	JMB
CHECKED BY	DATE	NAME	CHECKED BY	DATE	NAME
6/13/12	6/13/12	RDK	6/13/12	6/13/12	RDK
FORM 0444A39			FORM 0444A39		
01/04/08			01/04/08		
REV 1			REV 1		

ATTENTION	SCALE	TITLE
PROJECTION	NONE	36" WIDE CONVEYOR 9'-6" DIVERHANG
MODEL NO.	CM230	RADIO REMOTE, 63" CLA GH.
DRAWING NUMBER	1507253	
SIMILAR TO		
FIRST USED		